

**DESCRIPTION:**

FMK : Access door with Fixed single row wings, Angled wing grilles.

LMK1 : Linear grille with 15° angle fixed standard blades

LMK2 : Linear grille with 15° angle fixed slim type blades

LMK3 : Linear grille with 35° angle fixed type blades

LMK-Y 1,2,3 : Linear grille for floor applications with special mounting frame

**MATERIAL:**

Extruded Aluminum Frame and Blades.

**APPLICATION:**

FMK Series control covers, with low pressure losses of air in large quantities; The distributor offers architectural solutions thanks to its decorative appearance, making it easy to control a fault or system thanks to its on-off feature, as used in floor type fan-coils.

**FINISHING:**

- Standard finishing is natural anodized. Electrostatic powder coating is optional.
- Standard colours are RAL 9010 and RAL 9016 . Other colours are available with enamel paint.

**INSTALLATION:**


- Place it on top of the Fan-coil as standard.

**ACCESSORIES:**

- EU2, EU3, EU4, EU5 type synthetic filter on back of grille



### STANDARD SIZES (mm) :




W : 1000 – 1200 – 1500 mm


H : 100 – 125 -150 -200 mm

\* Any combination of these sizes


### BLADE TYPES:




LM-1




LM-2




LM-3



LM-Y1



LM-Y2



LM-Y3

**APPLICATION EXAMPLE:**



**ORDER CODE:**

FMK	12	1	00	RAL9010	00	W 400X400
12mm Wing interval 20mm Wing interval		FMK1 Blade: 1 FMK2 Blade: 2 FMK3 Blade: 3 FMK-Y1 Blade: Y1 FMK-Y2 Blade: Y2 FMK-Y3 Blade: Y3		00: Without accessories FL: Filter		W: Neck Size C: Frame Size 00: without Mounting KL: Clips Mounting 00: without coating EL: Anodic Aluminium RAL----: Powder Coated RAL