







DESCRIPTION:

DMK: it is used for cleaning and controlling of duct systems

MATERIAL:

Extruded Aluminum Frame, Galvanized stell Cover or Aluminum Cover

APPLICATION:

DMK Series Access door: Provides an access door function for fan coil units and mechanical installation

The access door opens and closes on a push-push action. It locks on the first push and releases with the second push.

FINISHING:

- Standard finishing is natural anodized. Electrostatic powder coating is optional.
- Standard colours are RAL 9010 and RAL 9016. Other colours are available with enamel paint.

INSTALLATION:


- System with screws is standard.
- System with clips and plate spring is used if no hole is requested on the frame.

ACCESSORIES:

- The cover can be produced with insulated or uninsulated
- Open-close mechanism, automatic touch-operated and Hinged



STANDARD SIZES (mm):




	Д١	/AILA	BLE S	IZES (i	in.) -	Alway	ys wic	ith x I	neigh	t		
	WIDHT											
HEIGHT	4	6	8	10	12	14	16	18	20	22	24	
4	X	x	х	x	x	x	x	x	x	х	х	
6	X	×	X	×	×	х	×	×	×	X	×	
8	X	х	x	x	x	x	x	x	x	x	х	
10	X	×	×	×	×	×	×	×	×	×	×	
12	X	x	х	x	x	x	x	x	x	х	х	
14	X	×	×	х	×	×	×	×	×	×	×	
16	X	x	х	x	x	х	x	x	x	х	х	
18	х	×	х	х	×	×	×	×	×	х	х	
20	X	x	х	x	x	х	x	x	x	х	х	
22	×	х	х	х	х	х	х	х	х	х	х	
24	X	х	х	х	х	х	х	х	x	x	х	


W: 100-150-200-250-300-350-400-450-500-550-600 mm

H: 100-150-200-250-300-350-400-450-500-550-600 mm


FRAME TYPES:








32mm Frame




28mm Frame

DRAWINGS:




Standard Snap Control Cover





Standard Hinged Control Cover

^{*} Any combination of these sizes










Automatic Snap Cover Half Linear Grille

Hinged Cover Half Linear Grille



Hinged Cover Half Egg Crate Grille



Hinged uninsulated Control Cover




Hinged insulated Control Cover




MOUNTING DETAILS:

1- Screw Mounting Details







2 - Screw Mounting Details with hide





APPLICATION EXAMPLE:

Air Conditioning Access Door:













2 - Cover Open



3 - Automatic Snap



ORDER CODE:

DMK	0	22	D	RAL9010	VD	W 400X400			
						V	V: Neck Size		
						C	: Frame Size		
O: Touch operation					00: without Mounting				
M: Hinged					VD: Screw Mounting				
A: Keyed					VD-H: Screw Mounting with Hid				
22mm Frame = 22mm									
32mm Frame = 32mm									
D : Cover Flat Galva	Steel		00: without coating						
YL: Cover Half Linea	le		EL: Anodic Aluminium						
KP: Cover Half Egg	Grille		RAL: Powder Coated RAL						