



MODEL CRG1

CURVED BLADE CEILING SUPPLY/RETURN W/MS DAMPER – 1-WAY ALUMINUM


MODEL CRG-1 WAY

1. ROLL-FORMED ALUMINUM CONSTRUCTION
2. ADJUSTABLE CURVED BLADES SET AT 15/16" ON CENTER
3. ONE WAY AIR PATTERN
4. INCLUDES MULTI-SHUTTER DAMPER
5. WHITE (01) OR SATIN SILVER(02) FINISH

- ☐ WD- NO DAMPER
☐ MD- MULTI SHUTTER DAMPER
☐ OD- OPPOSED BLADE DAMPER

MOUNTING TYPE:

- ☐ M0- NON- MOUNTING
☐ M1- SCREW
☐ M2- CLIPS
☐ M3- SPRING



Width										
Height	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
4"	X	X	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	X	X	X	X	X
6"	X	X	X	X	X	X	X	X	X	X
8"		X	X	X	X	X	X	X	X	X
10"			X	X	X	X	X	X	X	X
12"				X	X	X	X	X	X	X
14"					X	X	X	X	X	X
16"						X	X	X	X	X
18"							X	X	X	X
20"								X	X	X
22"									X	X
24"										X

Submittal No.

Revision:

Date: 01/01/2019

Submitted by:

Date submitted:



MODEL CRG2

CURVED BLADE CEILING SUPPLY/RETURN W/MS DAMPER – 2-WAY ALUMINUM


MODEL CRG 2 WAY

1. ROLLFORMED ALUMINUM CONSTRUCTION
2. ADJUSTABLE CURVED BLADES SET AT 15/16" ON CENTER
3. TWO WAY AIR PATTERN
4. INCLUDES MULTI-SHUTTER DAMPER
5. WHITE (01) OR SATIN SILVER (02) FINISH

- ☐ WD- NO DAMPER
- ☐ MD- MULTI SHUTTER DAMPER
- ☐ OD- OPPOSED BLADE DAMPER

MOUNTING TYPE:

- ☐ M0- NON- MOUNTING
- ☐ M1- SCREW
- ☐ M2- CLIPS
- ☐ M3- SPRING



Width										
Height	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
4"	X	X	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	X	X	X	X	X
6"	X	X	X	X	X	X	X	X	X	X
8"		X	X	X	X	X	X	X	X	X
10"			X	X	X	X	X	X	X	X
12"				X	X	X	X	X	X	X
14"					X	X	X	X	X	X
16"						X	X	X	X	X
18"							X	X	X	X
20"								X	X	X
22"									X	X
24"										X

Submittal No.

Revision:

Date: 01/01/2019

Submitted by:

Date submitted:



MODEL CRG3

CURVED BLADE CEILING SUPPLY/RETURN W/MS DAMPER – 3-WAY ALUMINUM


MODEL CRG 3-WAY

1. ROLLFORMED ALUMINUM CONSTRUCTION
2. ADJUSTABLE CURVED BLADES SET AT 15/16" ON CENTER
3. THREE WAY AIR PATTERN
4. INCLUDES MULTI-SHUTTER DAMPER
5. WHITE (01) OR SATIN SILVER(02) FINISH

- ☐ WD- NO DAMPER
- ☐ MD- MULTI SHUTTER DAMPER
- ☐ OD- OPPOSED BLADE DAMPER

MOUNTING TYPE:

- ☐ M0- NON- MOUNTING
- ☐ M1- SCREW
- ☐ M2- CLIPS
- ☐ M3- SPRING



Width										
Height	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"
4"	X	X	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	X	X	X	X	X
6"	X	X	X	X	X	X	X	X	X	X
8"		X	X	X	X	X	X	X	X	X
10"			X	X	X	X	X	X	X	X
12"				X	X	X	X	X	X	X
14"					X	X	X	X	X	X
16"						X	X	X	X	X
18"							X	X	X	X
20"								X	X	X
22"									X	X
24"										X

Submittal No.

Revision:

Date: 01/01/2019

Submitted by:

Date submitted:



MODEL CRG4

CURVED BLADE CEILING SUPPLY/RETURN W/MS DAMPER – 4-WAY ALUMINUM


MODEL CRG - 4 WAY

1. ROLLFORMED ALUMINUM CONSTRUCTION
2. ADJUSTABLE CURVED BLADES SET AT 15/16" ON CENTER
3. FOUR WAY AIR PATTERN
4. INCLUDES MULTI-SHUTTER DAMPER
5. WHITE (01) OR SATIN SILVER (02) FINISH

- ☐ WD- NO DAMPER
- ☐ MD- MULTI SHUTTER DAMPER
- ☐ OD- OPPOSED BLADE DAMPER

MOUNTING TYPE:

- ☐ M0- NON- MOUNTING
- ☐ M1- SCREW
- ☐ M2- CLIPS
- ☐ M3- SPRING



Width					
Height	6"	8"	10"	12"	14"
6"	X				
8"		X			
10"			X		
12"				X	
14"					X

Submittal No.

Revision:

Date: 01/01/2019

Submitted by:

Date submitted: